



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## THE NEW YEAR CENSUS.

Not long after this number reaches its readers a new year will be at hand. If you are keeping a yearly record of the birds, your old note-book will be laid aside and a fresh one placed in readiness. It means something æsthetically, if not practically, how the new note-book is begun, whether the first page is well filled or not. To me it means more than I care to admit. We have begun these New Year Censuses well, and I hope and trust that 1905 will not fall behind 1904 in the records that shall be made. 1905 begins on Sunday, and it is therefore proposed that for those who do not study birds on that day, to make the record on the 2nd. How much each one can do will depend upon the region, the time, and the weather. The editor will be unable to participate in this contest, so the prize offered last year cannot be repeated. To every one who secures a bona fide list of twenty-five or more species, not including English Sparrow, a year's subscription to THE WILSON BULLETIN will be given. Make as large a list as possible for Mr. Frank M. Chapman's Christmas Census, and then beat it for the New Year Census! Send the lists to Lynds Jones, 5623 Drexel Avenue, Chicago, Ill.

---

BREWSTER WARBLER (*Helminthophila leucobronchialis*) IN CHESTER COUNTY, PENNSYLVANIA.

Near the close of an "all-day with the birds" I was fortunate enough to meet with a single individual of this type, phase, or whatever it may be, near Devon, on May 13th, 1904. It was found at the border of a large grove, where I watched it sometimes as near as twenty feet, from an old cart-road. It was altogether like the Blue-winged Warbler above,—with the white wing bars and black bar through the eye—but the under parts were white instead of the rich yellow of that bird. I could detect no trace of yellow on its breast. In action, dropping from branch to branch of the smaller trees so near, it was very like the Blue-wing—with which I am familiar. Although I cannot but regret that I had no means of securing it at the time, I have no hesitation in recording it as a Brewster's Warbler, after I had observed it through a good pair of field glasses for over fifteen minutes.

FRANK L. BURNS, Berwyn, Pa.

---

BREWSTER WARBLER AGAIN IN OHIO.  
(*Helminthophila leucobronchialis*)

BY W. F. HENNINGER.

On September 17th of this year while out to study the annual fall